

## Basic Japanese Meridian Therapy (Keiraku Chiryo)

Tx(step 1): "healthier" side  
or  
♂→① + ♀→②

<b>LSho</b> <b>Sx:</b> Ki prob, emotional prob, weak immune system, breathing prob, chest discomfort, respiratory prob. (cough, asthma + etc.), shoulder stiffness, tightness between scapulas, dry, rough skin, skin prob, thumb prob. (tendonitis), constipation, hemorrhoids, frequent urination, cystitis, white complexion. <b>Dxarea:</b> ① Depression, soft, rough on  costal (LR14) area + tight, pressure pain, and pulsing on  ST24-27 area. ② LU1, GV12, LU9. ③ 1°→Deficiency on the LU + SP 2°→LR	<b>Step 1</b> Tonify toni. Pt. of 1° meridian + Horary Pt of mother meridian.  <b>Step 2</b> Tx 2°. Deficient→tonify Excess→disperse Tx opposite side of Step 1	<b>Step 3 ①</b> Tonify Defi. Luo or Source Pt of Yang meridian. Same side of body as pulse. ☆ If yang are Deficient. →Toni. ST36 or TW4 bilaterally Find Deficient Pt	<b>Step 3 ②</b> Disperse Excess Luo Pt of Yang meridian. Same side of body as pulse or Sx side
<b>SPSho</b> <b>Sx:</b> All kinds of digestive prob., constipation, diarrhea, diabetes, craving for sweets, breast prob. (pain and/or swelling), sores on lips + gums, fatigue, heavy limbs + body, emotional prob, neurosis, overthinking swollen + red eyelids, bunion, flatfeet, HDT prob., palpitation, irregular pulse, angina, HT attack, yellowish complexion, joint pain,  shoulder pain. <b>Dxarea:</b> ① Soft, deficient, moist, possibly depressed to right touch on CV12 around navel area. ② Slight tension (not strong) on  costal area, SP3, 4, 13, 15. ③ 1°→Deficiency on the SP + HT 2°→KD or LR	LU9 +  SP3  <b>LR3</b>	<b>Left</b> SI4 or 7 GB40 or 37 BL64 or 58	<b>Left</b> SI7 GB37 BL58
<b>KDSho</b> <b>Sx:</b> Development prob, Ob.GYN prob, bones break easily, osteoporosis, dental prob, joint prob. (knee, ankle, + etc.), urinary prob., chronic constipation and/or diarrhea, lower body edema, RBC prob, memory prob, tinnitus, hearing prob, cold hand + feet, cold lower abdo, cold above + cold below (counterflow Ki), fearfulness, hair falls out easily, gray hair, lower back sore + cold deficient, tired after eating, dark complexion, esp. dark below eyes. <b>Dxarea:</b> ① Soft, cool or deficient (light touch) on KD16, CV5.7.8, + lower abdo. area. KD2, 3, CV7, KD16, puffiness around ② Slight tension on the ST line on lower abdo. area. ③ 1°→Deficiency on the KD+LU. 2°→SP	KD7 <b>+ LU8 or LU5</b>  <b>SP3</b>	<b>Right</b> LI11, 4, or 6 ST36, 42, or 40 TW4 or 5	<b>Right</b> LI6 ST40 TW5
<b>LRSho</b> <b>Sx:</b> Blood stasis prob. (pigmentation, moles, vascular spiders, + etc.), hormonal + endocrine prob, bleeding disorders, skin disorders with raised bumps (acne, boils, etc.), tight muscles, swollen muscles, muscular imbalance, acute back pain (strain, sprain, slipped disc, + etc.), R shoulder prob. (stiffness + tightness), L leg prob, neuralgia (sciatica), hernias, joint deformities, emotional sensitivity, stress, emotional/mental prob, neurosis, irritability, anger, insomnia, vision prob. in general, nail prob in general, aversion to wind, wind causes tight stiff sore muscles, sex organ prob, urinary prob.(cystitis), big toe prob, goat, subcostal/costal pain + discomfort, swollen ribs, sinus + nasal prob, H/A (esp. chronic, esp. crown + around eyelids, migraine) dizziness, frequent fainting, constipation, asthma. <b>Dxarea:</b> ① Soft and deficient on the  L +  ASIS. ②  LR9 SP10 area, tight, sore on the  (heat P.)  (Excess P.) subcostal area. ③ 1°→Deficiency on the LR + KD. 2°→LU or SP	LR8 +  KD10  <b>SP3 or LU9</b>	<b>Okyu Tx</b> Okyu (sesame size) on Du Mai and Back Shu Pt Pressure pain and/or deficient (corn caved) Pt	<b>#of Okyu</b>
		Pxw/ soft and silky/smooth) skin Pxw/ very sensitive to heat	<b>x3</b>
		Pxw/ average skin Deficient, sticky, and/or flaccid Pt	<b>x5</b>
		Rough, tight and deficient (corn caved) with indurations Pt	<b>x7</b>